Notice of Allowance was received for the amended claims and a patent issued as No. 6,008,296 on December 28, 1999..

Applicants have filed the subject application to copy all the claims of the '609 patent and the claims 23-58 added in the Preliminary Amendment for the subject application correspond exactly to claims 1-36 of the '609 patent. Further, the original claims 1-22 of the parent application were continued in the subject continuation application as claims 59-78 (now 59-63 and 65-80).

In this Supplemental Amendment, claims 80-115 were added which it is respectfully submitted are directed to the same subject matter and patentable invention as claimed in Irizato et al. U.S. Patent No. 5,736,609 ('609) as defined in 37 CFR 1.601(n). In particular, claim 80 limits the subject matter of claim 23 (copied from Irizato et al. claim 1) to the preferred embodiment in the instant application.

I. The following is the basis upon which a Declaration of Interference Under 37 CFR § 1.607 is sought.

For clarity, the following correspondence between newly added claims 80-115 of the subject application and claims of the '609 patent are presented as follows:

CLAIMS OF SUBJECT APPLICATION	CLAIMS OF U.S. PATENT NO. 5,736,609
Claim 80	Claim 1
Claim 81	Claim 2
Claim 82	Claim 3
Claim 83	Claim 4
Claim 84	Claim 5
Claim 85	Claim 6

CLAIMS OF SUBJECT APPLICATION

CLAIMS OF U.S. PATENT NO. 5,736,609

Claim 86	Claim 7
Claim 87	Claim 8
Claim 88	Claim 9
Claim 89	Claim 10
Claim 90	Claim 11
Claim 91	Claim 12
Claim 92	Claim 13
Claim 93	Claim 14
Claim 94	Claim 15
Claim 95	Claim 16
Claim 96	Claim 17
Claim 97	Claim 18
Claim-98	
Claim 99	Claim 20
Claim 100	Claim 21
Claim 101	Claim 22
Claim 102	Claim 23
Claim 103	Claim 24
Claim 104	Claim 25
Claim 105	Claim 26
Claim 106	Claim 27
Claim 107	Claim 28
Claim 108	Claim 29
Claim 109	Claim 30

CLAIMS OF SUBJECT APPLICATION

CLAIMS OF U.S. PATENT NO. 5,736,609

Claim 110	Claim 31
Claim 111	Claim 32
Claim 112	Claim 33
Claim 113	Claim 34
Claim 114	Claim 35
Claim 115	Claim 36

II. Identification Of Patent With Which Interference Is Sought

Applicants request declaration of an interference between the subject application and Irizato et al. U.S. Patent No. 5,736,609 filed as application no. 663,734 on June 14, 1996, issued April 7, 1998 and assigned to Mitsui Toatsu Chemicals, Inc.

Applicants request declaration of an interference on the basis of the following proposed count, which corresponds exactly to a defined species of claim 1 of the lrizato et al. patent:

A sulfur-containing urethane resin composition which comprises a polythiol compound represented by formula (1):

CH₂S — (CH₂)
$$_{x}$$
 — X₁

CHS — (CH₂) $_{y}$ — X₂

CH₂S — (CH₂) $_{z}$ — X₃

wherein X_1 , X_2 and X_3 each is a hydrogen atom or a mercapto group; x, y and z each is an integer of 0 to 8; and in their combinations, formula (1) has at least two mercapto groups;

a polyiso(thio)cyanate compound, and a compound having two or more reactive unsaturated groups and neither a hydroxyl group nor a mercapto group in an amount of 30 to 70% by weight based on the total weight of the composition.

or

A sulfur-containing urethane resin composition which comprises a polythiol compound represented by formula (1):

CH₂S — (CH₂)
$$_{x}$$
 — X₁

CHS — (CH₂) $_{y}$ — X₂

CH₂S — (CH₂) $_{z}$ — X₃

wherein X₁, X₂ and X₃ each is a hydrogen atom; and x, y and z each is 0; a polyiso(thio)cyanate compound, and a compound having two or more reactive unsaturated groups and neither a hydroxyl group nor a mercapto group in an amount of 30 to 70% by weight based on the total weight of the composition.

IV. Identification Of Claims In Patent Corresponding To Proposed Count

Applicants believe that claims 1-36 of the Irizato et el. patent and claims 80-115 of the subject application correspond to the proposed count and that both define the same subject matter and patentable invention under 37 CFR 1.601 (n).

V. Identification Of Claims In Application Corresponding To Proposed Account
Applicants believe that claims 80-115 of the subject application correspond to
the proposed count.

VI. Application Of The Terms Of The Claims To Disclosure Of The Subject Application

The terms of the claims of the subject application identified as corresponding to the proposed account may be applied to disclosure of the subject application as follows:

CLAIM TERMS

DISCLOSURE IN APPLICATION

Claim 80 - A sulfur-containing urethane resin composition which comprises

Title: Optical Terpolymer of Polyisocyanate, Polythiol and Polyene Monomers.

Page 5, lines 14-15: "A preferred polymer is made by the reaction of a polyacrylate, a polyisocyanate monomer and a polythiol monomer.

a polythiol compound represented by the formula:

Page 9, line 23: 1,2,3-propanetrithiol.

Page 5, lines 14-15: "A preferred polymer is made by the reaction of a polyacrylate, a polyisocyanate-monomer and a polythiol monomer.

wherein X_1 , X_2 and X_3 each is a hydrogen atom; and x, y and z each is 0;

a polyiso(thio)cyanate compound,

Page 5, lines 6-7: a polyisocyanate or polyisothiocyanate monomer or a polyisocyanate monomer containing at least one isothiocyanate group.

Page 5, lines 10-13: For convenience, the term polyisocyanate will be meant to include polyisocyanate, polyisothiocyanate, and polyisocyanate monomers containing at least one isothiocyanate group, or mixtures thereof.

and a compound having two or more reactive unsaturated groups and neither a hydroxyl group nor a mercapto group in an amount of 30 to 70% by weight based on the total weight of the composition.

Claim 81 - The sulfur-containing urethane resin composition according to claim 80 wherein the amount of the compound having two or more reactive runsaturated groups is in the range of 30 to 50% by weight based on the total weight.

Claim 82 - The sulfur-containing urethane-based resin composition according to claim 80 which contains another polythiol compound or a thiol compound having a hydroxyl group in addition to the polythiol of the formula.

Page 8, lines 6-7: 1,6-hexane-diacrylate or -dimethacrylate.

Page 16, line 28: 2. PETA for pentaerythritol tetraacrylate.

Page 11, lines 6-12: The monomers may be used in widely varying amounts depending on the resin properties and optic product properties desired. the curable general, composition polyisocyanate comprises, by weight, monomer in an amount of about 2 to 70%, preferably 10 to 30%; polyene monomer in an amount of about 5 to 70%, preferably 10 to 40%; and an active hydrogen containing monomer in an amount of about 10 to 60%, preferably 20 to 50%. Higher or lower amounts may be employed for certain applications.

Page 11, lines 6-12: The monomers may be used in widely varying amounts depending on the resin properties and optic product properties desired. In general, the -- curable---composition-comprises, by weight, polyisocyanate monomer in an amount of about 2 to 70%, preferably 10 to 30%; polyene monomer in an amount of about 5 to 70%, preferably 10 to 40%; and an active hydrogen containing monomer in an amount of about 10 to 60%, preferably 20 to 50%. Higher or lower amounts may be employed for certain applications.

Page 11, lines 4-5: The active hydrogen containing compounds may be used singly or in combination as a mixture.

Claim The sulfur-containing 83 urethane resin composition according to claim wherein 82 the polyiso(thio)cyanate compound, the compound having the reactive unsaturated groups, the polythiol of the formula, and the other polythiol compound or the thiol compound having the hydroxyl group is such that a functional group molar ratio of {the iso(thio)cyanate group + the reactive
unsaturated group} / {the mercapto group + the hydroxyl group} is in the range of 1.0 to 3.0.

Claim 84 - A sulfur-containing urethane resin composition which comprises

a polythiol compound represented by the formula:

wherein X_1 , X_2 and X_3 each is a hydrogen atom; and x, y and z each is 0;

a polyiso(thio)cyanate compound,

Page 11, line 13-20: The proportions of the monomers may likewise range widely depending on the polymer properties In general, the ratio of the desired. NCO/NCS groups to the active hydrogen containing groups is about 0.05 to 0.9 preferably 0.2 to 0.8. The ratio of vinyl groups to active hydrogen containing groups is about 0.1 to 0.95, preferably 0.2 to 0.7. The ratio of NCO or NCS groups and vinyl groups to -SH group (-NCO or NCS + vinyl)/-SH is preferably in the range of 1.05 to 2.0. This ratio will ensure reduction of free-SH groups in the end product. Therefore it will enhance weathering stability of the end product.

Title: Optical Terpolymer of Polyisocyanate, Polythiol and Polyene Monomers.

Page 5, lines 14-15: "A preferred polymer is made by the reaction of a polyacrylate, a polyisocyanate monomer and a polythiol monomer.

Page 9, line 23: 1,2,3-propanetrithiol.

Page 5, lines 14-15: "A preferred polymer is made by the reaction of a polyacrylate, a polyisocyanate monomer and a polythiol monomer.

Page 5, lines 6-7: a polyisocyanate or polyisothiocyanate monomer or a polyisocyanate monomer containing at least one isothiocyanate group.

Page 5, lines 10-13: For convenience, the term polyisocyanate will be meant to include polyisocyanate, polyisothiocyanate, and polyisocyanate monomers containing at least one isothiocyanate group, or mixtures thereof.

and a compound having two or more reactive unsaturated groups and neither a hydroxyl group nor a mercapto group in an amount of 10 to 70% by weight based on the total weight of the composition,

and a photopolymerization catalyst.

Page 8, lines 6-7: 1,6-hexane-diacrylate or -dimethacrylate.

Page 16, line 28: 2. PETA for pentaerythritol tetraacrylate.

Page 11, lines 6-12: The monomers may be used in widely varying amounts depending on the resin properties and optic product properties desired. the curable composition general, comprises, by weight, polyisocyanate monomer in an amount of about 2 to 70%, preferably 10 to 30%; polyene monomer in an amount of about 5 to 70%, preferably 10 to 40%; and an active hydrogen containing monomer in an amount of about 10 to 60%, preferably 20 to 50%. Higher or lower amounts may be employed for certain applications.

Pages 11-16, lines 35-36 and 1-2: The monomer composition to be subjected to a polymerization reaction can also contain conventional additives such as an antistatic agent, a heat stabilizer, an ultraviolet absorbent, an antioxidant, dyes and/or one of more other auxiliary additives in accordance with the intended end use of the terpolymer to be formed.

Page 13, lines 3-6: The monomer mixture for casting or polymerization may be mixed together with additives such as a lubricant, a mold releasing agent, polymerization initiator, catalyst, etc. preferably under non-reacting conditions, degassed and reacted using conventional techniques known in the art.

Claim 85 - The sulfur-containing urethane resin composition according to claim 84 wherein the amount of the compound having two or more reactive unsaturated groups is in the range of 30 to 50% weight based on the total weight.

Claim 86 - The sulfur-containing urethane resin composition according to contains which claim 84 another polythiol compound or a thiol compound having a hydroxyl group in addition to the polythiol of the formula.

The sulfur-containing 87 urethane resin composition according to claim 86 wherein the polyiso(thio)cyanate - compound, --thecompound the having reactive unsaturated groups, the polythiol of the formula and the other polythiol compound or the thiol compound having the hydroxyl group is such that a functional group molar ratio of {the iso)thio)cyanate group + the reactive unsaturated group} / {the mercapto group + the hydroxyl group) is in the range of 1.0 to 3.0.

Page 11, lines 6-12: The monomers may be used in widely varying amounts depending on the resin properties and optic product properties desired. In general. the curable composition weight, polyisocyanate comprises, bν monomer in an amount of about 2 to 70%, preferably 10 to 30%; polyene monomer in an amount of about 5 to 70%, preferably 10 to 40%; and an active hydrogen containing monomer in an amount of about 10 to 60%, preferably 20 to 50%. Higher or lower amounts may be employed for certain applications.

Page 11, lines 4-5: The active hydrogen containing compounds may be used singly or in combination as a mixture.

Page 11, line 13-20: The proportions of the monomers may likewise range widely depending on the polymer properties desired. In general, the ratio of the NCO/NCS groups to the active hydrogen containing groups is about 0.05 to 0.9 preferably 0.2 to 0.8. The ratio of vinyl groups to active hydrogen containing groups is about 0.1 to 0.95, preferably 0.2 to 0.7. The ratio of NCO or NCS groups and vinyl groups to -SH group (-NCO or NCS + vinyl)/-SH is preferably in the range of 1.05 to 2.0. This ratio will ensure reduction of free-SH groups in the end product. Therefore it will enhance weathering stability of the end product.

Claim 88 - A sulfur-containing urethane resin obtained by polymerizing the composition of claim 80.

Page 5, lines 32-35: The mixture is kept cool, e.g., at a temperature below about 15°C for up to 72 hours, preferably 10 to 32 hours and is then cast (cured) at an elevated temperature to produce the optical resin of the invention. A preferred curing process is also disclosed.

Page 6, lines 1-5: In another aspect of the invention, the optical resin products may be prepared by casting or other mold type polymerization process to produce a crosslinked resin optical product. The resin can also be formed as a linear thermoplastic polymer which polymer can then be injection molded or compression molded into optical and other products at high production rates.

Page 11, lines 21-22: The optical resins and products of this invention may be produced by casting polymerization.

Page 16, Examples 1-4.

Same-as-for-claim-88. - - -

Claim 90 - A sulfur-containing urethane resin obtained by polymerizing the

Claim 89 - A-sulfur-containing-urethane-

resin obtained by polymerizing the

composition of claim 82.

composition of claim 81.

Claim 91 - A sulfur-containing urethane resin obtained by polymerizing the

composition of claim 83.

Claim 92 - A sulfur-containing urethane resin obtained by polymerizing the

composition of claim 84.

Claim 93 - A sulfur-containing urethane resin obtained by polymerizing the

composition of claim 85.

Claim 94 - A sulfur-containing urethane resin obtained by polymerizing the composition of claim 86.

Same as for claim 88.

Claim 95 - A sulfur-containing urethane resin obtained by polymerizing the composition of claim 87.

Claim 96 - An optical element which comprises the resin of claim 88.

Claim 97 - An optical element which comprises the resin of claim 89.

Claim 98 - An optical element which comprises the resin of claim 90.

Claim 99 - An optical element which comprises the resin of claim 91.

Claim 100 - An optical element which comprises the resin of claim 92.

Same as for claim 88.

Pages 4-5, lines 33-36 and 1-6: In this invention, it has been discovered that reacting effective amounts of polythiols with both polyenes, preferably with three (3) or higher number of vinyl groups in the monomers, and polyisocyanates results in a new class of terpolymers which are homogeneous systems without any significant phase separation and have enhanced properties for optical applications such as eyeglasses. **Among** these properties are balanced high refractive index and high Abbe number, enhanced weathering stability and good impact resistance. The subject of this invention are optical resins having a combination of high refractive index and high Abbe number produced from curable or thermoplastic monomer compositons.

Page-5, lines-21-24: In-another aspect of the invention, a process is provided for preparing optical resin products with enhanced optical and physical properties from the composition comprising a polyene monomer, polyisocyanate monomer and active hydrogen groups containing monomer.

Pages 16-18, Examples 1-5.

Same as for claim 96.

Same as for claim 96.

Same as for claim 96.

Same as for claim 96

DISCLOSURE IN APPLICATION

Claim 101 - An optical element which comprises the resin of claim 93.

Claim 102 - An optical element which comprises the resin of claim 94.

Claim 103 - An optical element which comprises the resin of claim 95.

Claim 104 - A lens which comprises the optical element of claim 96.

Claim 105 - A lens which comprises the optical element of claim 97.

Claim 106 - A lens which comprises the optical element of claim 98.

Claim 107 - A lens which comprises the optical element of claim 99.

Claim 108 - A lens which comprises the optical element of claim 100.

Claim 109 - A lens which comprises the optical element of claim 101.

Claim 110 - A lens which comprises the optical element of claim 102.

Claim 111 - A lens which comprises the optical element of claim 103

Claim 112 - A process for preparing a sulfur-containing urethane resin which comprises

Same as for claim 96.

Same as for claim 96

Same as for claim 96

Pages 4-5, lines -36 and 1: invention, it has been discovered that reacting effective amounts of polythiols with both polyenes, preferably with three (3) or higher number of vinyl groups in the monomers, and polyisocyanates results in a new class of terpolymers which are homogeneous systems without any significant phase separation and have enhanced properties for optical applications such as eyeglasses.

a step of curing by irradiating UV rays or visible rays

a sulfur-containing urethane resin composition comprising

a polythiol compound represented by the formula:

wherein X_1 , X_2 and X_3 each is a hydrogen atom; and x, y and z each is 0;

a polyiso(thio)cyanate compound,

Pages 11-12, lines 35-36 and 1-2: The monomer composition to be subjected to a polymerization reaction can also contain conventional additives such as an antistatic agent, a heat stabilizer, an ultraviolet absorbent, an antioxidant, dyes and/or one of more other auxiliary additives in accordance with the intended end use of the terpolymer to be formed.

Title: Optical Terpolymer of Polyisocyanate, Polythiol and Polyene Monomers.

Page 5, lines 14-15 "A preferred polymer is made by the reaction of a polyacrylate, a polyisocyanate monomer and a polythiol monomer.

Page 9, line 23: 1,2,3-propanetrithiol.

Page 5, lines 14-15 "A preferred polymer is made by the reaction of a polyacrylate, a polyisocyanate monomer and a polythiol monomer.

Page 5, lines 6-7: a polyisocyanate or polyisothiocyanate monomer or a polyisocyanate monomer containing at least one isothiocyanate group.

Page 5, lines 10-13: For convenience, the term polyisocyanate will be meant to include polyisocyanate, polyisothiocyanate, and polyisocyanate monomers containing at least one isothiocyanate group, or mixtures thereof.

and a compound having two or more reactive unsaturated groups and neither a hydroxyl group nor a mercapto group in an amount of 10 to 70% by weight based on the total weight of the composition.

Claim 113 - A sulfur-containing resin which is obtained by the process of claim 112.

Claim 114 - An optical element which comprises the resin of claim 113.

Page 8, lines 6-7: 1,6-hexane-diacrylate or -dimethacrylate.

Page 16, line 28: 2. PETA for pentaerythritol tetraacrylate.

Page 11, lines 6-12: The monomers may be used in widely varying amounts depending on the resin properties and optic product properties desired. curable general, the composition comprises, by weight, polyisocyanate monomer in an amount of about 2 to 70%, preferably 10 to 30%; polyene monomer in an amount of about 5 to 70%, preferably 10 to 40%; and an active hydrogen containing monomer in an amount of about 10 to 60%, preferably 20 to 50%. Higher or lower amounts may be employed for certain applications.

Pages 11 and 12, lines 35-36 and 1-2: The monomer composition to be subjected to a polymerization reaction can also contain conventional additives such as an antistatic agent,—a—heat—stabilizer,—an—ultraviolet—absorbent, an antioxidant, dyes and/or one of more other auxiliary additives in accordance with the intended end use of the terpolymer to be formed.

Page 11, lines 21-25: The optical resins and products of this invention may be produced by casting polymerization. Any one of molds and frames of various shapes designed in accordance with individual end uses, such as plate-like, lens-like, cylinder-like, prismatic, conical, aspherical, progressive, bifocal and spherical shapes may be used as a casting polymerization vessel.

DISCLOSURE IN APPLICATION

Claim 115 - A lens which comprises the optical element of claim 114.

Page 11, lines 21-25: The optical resins and products of this invention may be produced by casting polymerization. Any one of molds and frames of various shapes designed in accordance with individual end uses, such as plate-like, lens-like, prismatic, cylinder-like, aspherical, progressive, bifocal and spherical shapes may be used as a casting polymerization vessel.

VII. **Basis For Judgment Of Priority**

The subject application is a continuation of U.S. Serial No. 08/425,958 filed April 19, 1995, now U.S. Patent No. 6,008,296 issued on December 28, 1999. The effective filing date of the subject application is therefore April 19, 1995 based on the subject matter disclosed in U.S. Serial No. 08/425,958.

The basis for judgment of priority relative to the Irizato et al. patent is that the effective filing date of April 19, 1995 of the subject application is prior to the effective filing date of June 14, 1996 of the Irizato et al. patent.

Accordingly, Applicants respectfully request declaration of an interference with Irizato et al. U.S. Patent No. 5,736,609 and/or allowance of claims 59-63 and 65-79.

Respectfully submitted,

John I. Tomaszewsk

Reg. No. 26,241

DeLIO & PETERSON, LLC 121 Whitney Avenue New Haven, CT 06510-1241 (203) 787-0595

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service on the date indicated below as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231 Carol M. Thomas Date: June 8, 2000 Signature: / asota hovos opt20500amendinterference.doc